DOCKET NO. SERIAL NO. Form PTO 1449 U.S. DEPARTMENT OF COMMERCE PATENT AND CHADEMARK 10/660,748 (Modified) 9511-108-27 CONT OFFICE MAR 1 5 2004 APPLICANT Michael I. Bukrinsky, et al. LIST OF REFERENCES CITED BY GROUP ART UNIT FILING DATE APPLICANT September 12, 2003 1614 (Use Several Sheets if Necessary) U.S. PATENT DOCUMENTS FILING DATE IF SUB EXAMINER DOCUMENT DATE NAME CLASS APPROPRIATE INITIAL NUMBER CLASS 10/02/01 Bukrinsky, et al. RR AA 6,297,253 514 275 AB 5,840,839 11/24/98 Wang et al. 544 329 AC 6,649,797 11/18/03 Bukrinsky, et al. 564 205 5,574,040 AD 11/12/96 Bukrinsky, et al. 277 514 RK 04/15/97 261 ΑE 5,620,983 Bukrinsky, et al. 514 AF 5,703,086 12/30/97 Bukrinsky, et al. 275 514 AG 03/31/98 514 634 5,733,932 Bukrinsky, et al. 315 RH 544 AН 5,808,068 09/15/98 Pan, et al. IRK ΑI 5,840,305 11/24/98 Bukrinsky, et al. 424 152.1 RR Bukrinsky, et al. AJ 5,840,893 11/24/98 544 329 AΚ 5,849,793 12/15/98 Pan, et al. 514 456 FOREIGN PATENT DOCUMENTS TRANSLATION DOCUMENT COUNTRY DATE NUMBER YES NO OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) Kalderon, et al., "A Short Amino Acid Sequence Able to Specify Nuclear M Location", Cell, 39, 499-509 (1984 - Part 2). Dingwall, et al., "The Nucleoplasmin Nuclear Location Sequence is Larger and RR BB More Complex than that of SV-40 Large T Antigen", J. Cell Biol., 107, 841-849 (1988). Yeh, et al., "The Arginine-Rich Domain of Hepatitis B Virus Precore and Core RR Proteins Contains a Signal for Nuclear Transport", J. Virol., 64, 12, 6141-6147 (1990). Zacksenhaus, et al., "A Bipartite Nuclear Localization Signal in the RR Retinoblastoma Gene Product and Its Importance for Biological Activity", Mol. Cell. Biol., 13, 8, 4588-4599 (1993).

EXAMINER / Caymuy

DATE CONSIDERED 7-22-04

*EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to Applicant.

Form PTO	1449	U.S. DEPARTMENT	DOCKET NO.	SERIAL NO.		
OF COMMERCE (Modified) PATENT AND TRADEMARK			9511-108-27 CONT	10/660,748		
	C	PFICE	APPLICANT			
			Michael I. Bukrinsky, et al.			
LIST	OF RE	FERENCES CITED BY	FILING DATE	GROUP ART UNIT		
(Use Sev		PPLICANT Sheets if Necessary)	September 12, 2003	1614		
RR	BF	Bukrinsky, et al., "F Protein that Governs (1993).	Nuclear Localization Signal Within HIV-1 Matrix Infection of Non-Dividing Cells", Nature, 365, 666-669			
RR	BG	Goldfarb, et al., "Sy Nature, 322, 641-644	onthetic Peptides as Nuclear Loca (1986).	lization Signals",		
RR	вн	Lanford, "Induction of to the SV40 T Antiger	of Nuclear Transport with a Synth Transport Signal", Cell, 46, 57	netic Peptide Homologous 25-582 (1986).		
RK	BI	Adam, et al., "Identification of Specific Binding Proteins for a Nuclear Location Sequence", Nature, 337, 276-279 (1989).				
RR	ВЈ	Robbins, et al., "Two Interdependent Basic Domains in Nucleoplasmin Nuclear Targeting Sequence: Identification of a Class of Bipartite Nuclear Target Sequence", Cell, 64, 615-623 (1991).				
RR	вк	Görlich, et al., "Two Different Subunits of Importin Cooperate to Recognize Nuclear Localization Signals and Bind Them to the Nuclear Envelope", Curr. Biol., 5, 4, 383-392 (1995).				
RR	BL	Radu, et al., "Identification of a Protein Complex that is Required for Nuclear Protein Import and Mediates Docking of Import Substrate to Distinct Nucleoporines", Proc. Natl. Acad. Sci., 92, 1769-1773 (1995).				
iRR	ВМ	Adam, et al., "Cytoslic Proteins that Specifically Bins Nuclear Location Signals are Receptors for Nuclear Import", Cell, 66, 837-847 (1992).				
RR	BN	Rexach, et al., "Protein Import Into Nuclei: Association and Dissociation Reactions Involving Transport Substrate, Transport Factors, and Nucleoporins", Cell, 83, 683-692 (1995).				
RR	во	Moore, et al., "Purification of a Ran-Interacting Protein that is Required for Protein Import into the Nucleus", Proc. Natl. Acad. Sci., 91, 10212-10216 (1994).				
RR	BP	Nerhbass, et al., "Role of the Nuclear Transport Factor pl0 in Nuclear Import", Science, 272, 120-122 (1996).				
RR	BQ	Dabauvalle, et al., "Inhibition of Nuclear Accumulation of Karyophilic Proteins in Living Cells by Microinjection of the Lectin Wheat Germ Agglutinin", Exp. Cell Res., 174, 291-296 (1988).				
KK	BR	Sterne-Marr, et al., "O-Linked Glycoproteins of the Nuclear Pore Complex Interact with a Cytosolic Factor Required for Nuclear Protein Import", J. Cell Biol, 116, 2, 271-280 (1992).				

		<u> </u>			
EXAMINER	K		(0	ermal	DATE CONSIDERED 7-27-04

*EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to Applicant.

Form PTO	1449	U.S. DEPARTMENT	DOCKET NO.	SERIAL NO.		
(Modified)		OF COMMERCE PATENT AND TRADEMARK	9511-108-27 CONT	10/660,748		
	(OFFICE	APPLICANT			
			Michael I. Bukrinsky, et al.			
LIST (OF RE	FERENCES CITED BY	FILING DATE	GROUP ART UNIT		
(Use Seve		PPLICANT Sheets if Necessary)	September 12, 2003	1614		
RR	BS	Analogues of GTP and	Thibition of Nuclear Protein Import by Nonhydrolyzable Identification of the Small GTPase Ran/TC4 as an Cactor", J. Cell Biol., 123, 6, Part 2, 1649-1656			
RR	BT	Weinberg, et al., "Productive Human Immunodeficiency Virus Type 1 (HIV-1) Infection of Nonproliferating Human Monocytes", J. Exp. Med., 174, 1477-1482 (1991).				
RR	BU	Humphries, et al., "R Transcription of Rous	equirement for Cell Division for Sarcoma Virus RNA", J. Virol.,	r Initiation of 14, 3, 531-546 (1974).		
RK	BV	Stevenson, et al., "HIV-1 Replication is Controlled at the Level of T Cell Activation and Proviral Integration", EMBO J., 9, 5, 1551-1560 (1990).				
· RR	BW	Bukrinsky, et al., "Quiescent T Lymphocytes as an Inducible Virus Reservoir in HIV-1 Infection", Science, 254, 423, Science (1991).				
RR	вх	Zack, et al., "Incompletely Reverse-Transcribed Human Immunodeficiency Virus Type 1 Genomes in Quiescent Cells Can Function as Intermediates in the Retroviral Life Cycle", J. Virol., 66, 3, 1717-1725 (1992).				
RK	ву	Schnittman, et al., "The Reservoir for HIV-1 in Human Peripheral Blood is a T Cell That Maintains Express of CD4", Science, 245, 305-308 (1989).				
RR	BZ	Brinchmann, et al., "Few Infected CD4° T Cells but a High Proportion of Replication-Competent Provirus Copies in Asymptomatic Human Immunodeficiency Virus Type 1 Infection", J. Virol., 65, 4, 2019-2023 (1991).				
RR	CA	Chapel, et al., "Differential Human Immunodeficiency Virus Expression in CD4" Cloned Lymphoscytes: From Viral Latency to Replication", J. Virol., 66, 6, 3966-3970 (1992).				
RR	СВ	Keonig, et al., "Detection of AIDS Virus in Marcrophages in Brain Tissue from AIDS Patients with Encephalopathy", Science, 233, 1089-1093 (1986).				
RR	СС	Wiley, et al., "Cellular Localization of Human Immunodeficiency Virus Infection Within the Brains of Acquired Immune Deficiency Syndrome Patients", Proc. Natl. Acad. Sci., 83, 7089-7093 (1986).				
RR	CD	Price, et al., "The Brain in AIDS: Central Nervous System HIV-1 Infection and AIDS Dementia Complex", Science, 239, 586-592 (1988).				
RR	CE	Giulian, et al., "Secretion of Neurotoxins by Mononuclear Phagocytes Infected with HIV-1", Science, 250, 1593-1596 (1990).				
RR	CF	Fauci, et al., "Immunopathogenic Mechanisms in Human Immunodeficiency Virus (HIV) Infection", Ann. Int. Med., 114, 8, 678-693 (1991).				

EXAMINER		Caynul		DATE CONSIDE	RED 7-22-04
with MPEP 609; dra	aw line	through cita	considered, whether ation if not in conf communication to App	ormance and not co	

Form PTO	1449	U.S. DEPARTMENT	DOCKET NO.	SERIAL NO.		
(Modified		OF COMMERCE PATENT AND TRADEMARK	9511-108-27 CONT	10/660,748		
	O	PFFICE	APPLICANT			
	-		Michael I. Bukrinsky, et al.			
LIST (FERENCES CITED BY	FILING DATE	GROUP ART UNIT		
(Use Seve		PPLICANT Sheets if Necessary)	September 12, 2003	1614		
	CG	Weiss, "How Does HIV	Cause AIDS?", Science, 260, 1273-1279 (1993).			
M	СН	Pantaleo, et al., "HI Tissue During the Cli (1993).	V Infection is Active and Progre nically Latent Stage of Disease"	ssive in Lymphoid , Nature, 362, 355-358		
RR	CI	Zack, "HIV-1 Entry In Reveals a Labile, Lat	nto Quiescent Primary Lymphocytes cent Viral Structure", Cell, 61,	: Molecular Analysis 213-222 (1990).		
RR	ប	Spina, et al., "The Importance of nef in the Induction of Human Immunodeficiency Virus Type 1 Replication from Primary Quiescent CD4 Lymphocytes", J. Exp. Med., 179, 115-113 (1994).				
RR	СК	Miller, et al., "The Human Immunodeficiency Virus-1 nef Gene Product: A Positive Factor for Viral Infection and Replication in Primary Lymphocytes and Macrophages", J. Exp. Med., 101-113 (1994).				
RR	CL	von Schwedler, et al., "The Nuclear Localization Signal of the Matrix Protein of Human Immunodeficiency Virus Type 1 Allows the Establishment of Infection in Macrophages and Quiescent T Lymphocytes", Proc. Natl. Acad. Sci., 91, 6992-6996 (1994).				
RR	СМ	Brown, et al., "Correct Integration of Retroviral DNA in Vitro", Cell, 49, 347-356 (1987).				
PR	CN	Emerman, et al., "HIV-1 Infection of Non-Dividing Cells", Nature, 369, 107-108 (1994).				
RR	со	Influences Nuclear L	Heinzinger, et al., "The Vpr Protein of Human Immunodeficiency Virus Type 1 Influences Nuclear Localization of Viral Nucleic Acids in Nondividing Host Cells", Proc. Natl. Acad. Sci., 91, 7311-7315 (1994).			
RR	CP	Gulizia, et al., "Reduced Nuclear Import of Human Immunodeficiency Virus Type 1 Preintegration Complexes in the Presence of a Prototypic Nuclear Targeting Signal", J. Virol. 68, 3, 2021-2025 (1994).				
RR	CQ	"Malaria", Tropical Diseases, Progress in Research 1989-1990, World Health Organization, pp. 29-40 (1991). (page number incorrectly cited as 15-27 in specification at page 8, line 4)				
RR	CR	Nosten, et al., "New 12, 4, 264-273 (1995	Nosten, et al., "New Antimalarials, A Risk-Benefit Analysis", Drug Safety, 12, 4, 264-273 (1995).			
RR	cs	Rabjohn, "Selenium Dioxide Oxidation", Org. React., Chapter 4, 261-415 (1976).				
RR	СТ	March, Advanced Organic Chemistry, 4th ed., Wiley Interscience, New York, 491-493 (1992).				

EXAMINER	(Cayney/	DATE CONSIDERED 7-22-04
with MPEP 609; draw lin	reference his considered, whether or note through citation if not in conformation with next communication to Applican	ice and not considered.

Form PTO 1	1449	U.S. DEPARTMENT	DOCKET NO.	SERIAL NO.		
(Modified)		OF COMMERCE PATENT AND TRADEMARK	9511-108-27 CONT	10/660,748		
	C	OFFICE	APPLICANT			
			Michael I. Bukrinsky, et al.			
LIST C		FERENCES CITED BY	FILING DATE	GROUP ART UNIT		
(Use Seve		PPLICANT Sheets if Necessary)	September 12, 2003	1614		
RR	CU		l Complexes of 1,1,-{1,3-Phenyle Chim. Acta, 44, L105-L106 (1980)			
PR	cv	Discovery. 2. Combina	ications of Combinatorial Techno torial Organic Synthesis, Librar ", J. Med. Chem., 37, 10, 1385-1	y Screening Strategies,		
RR	CM		gous' Organic Synthesis of Small torial Chemistry in Small-Molecu 2662 (1994).			
RR	СХ	Cho, et al., "An Unna	tural Biopolymer", Science, 261,	1303-1305 (1993).		
RR	CY	Bukrinsky, et al., "Active Nuclear Import of Human Immunodeficiency Virus Type 1 Preintegration Complexes", Proc. Natl. Acad. Sci., 89, 6580-6584 (1992).				
IRR	CZ	Desjardins, et al., "Quantitative Assessment of Antimalarial Activity In Vitro by a Semiautmated Microdilution Technique", Antimicrob. Ag. Chemother., 16, 6, 710-718 (1979).				
1818	DA	Ager, Jr., Handbook of Experimental Pharmacology, Antimalarial Drugs I, Peters, et al., eds., Chapter 8, Volume 68, Part 1, 225-264, Springer-Verlag, Berlin (1984).				
RR	DB	Bukrinsky, et al., "Regulation of Nitric Oxide Synthase Activity in Human Immunodeficiency Virus Type 1 (HIV-1)-infected Monocytes: Implications for HIV-Associated Neurological Disease", J. Exp. Med., 181, 735-745 (1995).				
RR	DC	Ulrich, et al., "Trypanocidal 1,3-Arylene Diketone Bis(guanylhydrazone)s. Structure-Activity Relationships Among Substituted and Heterocyclic Analogues", J. Med. Chem., 27, 35-40 (1983).				
RR	DD	McKinnon, et al., "Studies on Some 2,1-Benzisoxazole Derivatives", Can. J. Chem., 49, 2019-2022 (1971).				
RR	DE	Gartner, et al., "The Role of Mononuclear Phagocytes in HTLV-III/LAV Infection", Science, 233, 215-219 (1986).				
RR	DF	Nuovo, et al., "Rapid In Situ Detection of PCR-Amplified HIV-1 DNA", Diagn. Mol. Pathol., 1, 2, 98-102 (1992).				
RR	DG	Chou, "Derivation and Properties of Michaelis-Menten Type and Hill Type Equations for Reference Ligands", J. Theor. Biol., 59, 253-276 (1976).				
RN	DH	Berger, et al., "Primary and Secondary Metabolism of Pentamidine by Rats", Antimicrob. Ag. Chemother., 36, 9, 1825-1831 (1992).				

*EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to Applicant.

Form PTO	1449		DOCKET NO.	SERIAL NO.		
(Modified) 1	OF COMMERCE PATENT AND TRADEMARK	9511-108-27 CONT	10/660,748		
	(OFFICE	APPLICANT			
			Michael I. Bukrinsky, et al.			
LIST OF REFERENCES CITED BY			FILING DATE	GROUP ART UNIT		
(Use Seve		PPLICANT Sheets if Necessary)	September 12, 2003	1614		
RR	DI	Westervelt, et al., "Macrophage Tropism Determinants of Human Immunodeficiency Virus Type 1 In Vivo", J. of Virol., 66, 4, 2577-2582 (1992).				
RR	DJ	Haffar, et al., "Human Immunodeficiency Virus-Like, Nonreplicating, gag-env Particles Assemble in a Recombinant Vaccinia Virus Expression System", J. Virol., 64, 6, 2653-2659 (1990).				
RR	DK	Chandraratna et al.,	Chemical Abstracts, Vol. 119:270	992, 1993.		
RR	DL	Porter et al., Chemical Abstracts, Vol. 117:90296, 1992.				
RR	DM	Reisdorff et al., Chemical Abstracts, Vol. 87:147051, 1977.				
RR	DN	Barnish et al., Chemical Abstracts, Vol. 87:5796, 1977.				

EXAMINER

DATE CONSIDERED 7-24-07

*EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.